


**AMENDMENTS TO THE SPECIFICATION:**

*Please amend the title to read as follows consistent with the title of the PCT application and the executed application documents:*

--PROCESS FOR PRODUCING GLYCOSIDE--.


*Please amend the paragraph at page 6, line 9, as follows:*

Examples of compounds each having at least two phenolic hydroxyl groups in their molecules include, but are not limited to, the compounds represented by the following formulae (1) and (2):



wherein, in the formula (1),  $R^1$  represents hydrogen,  $C_1$ - $C_{18}$  straight or branched alkyl or alkenyl,  $C_1$ - $C_{18}$  acyl, or optionally substituted benzyl;  $R^2$  represents hydrogen, optionally substituted  $C_1$ - $C_{18}$  straight or branched alkyl or alkenyl,  $-(C=O)-R^3-R^4$  (wherein  $R^3$  represents  $C_1$ - $C_{18}$  straight or branched alkylene or alkenyl, and  $R^4$  represents optionally substituted phenyl),  $-R^3-(C=O)R^4$  (wherein  $R^3$  represents  $C_1$ - $C_{18}$  straight or branched alkylene or alkenyl, and  $R^4$  represents optionally substituted phenyl), optionally substituted amino, optionally substituted phenyl,  $-O-R^5$ ,  $-S-R^5$ ,  $-S-S-R^5$ ,  $-NH-R^5$ ,  $-SO_2-R^5$ ,  $-CONH-R^5$ ,  $-NHCO-R^5$ ,  $-COO-R^5$ ,  $-OCO-R^5$ ,  $-OCONH-R^5$ ,  $-NHCOO-R^5$ ,  $-NHCONH-R^5$ ,  $-OCOO-R^5$ ,  $-SO_2NH-R^5$ , or  $-NHSO_2-R^5$

(wherein R5 represents optionally substituted phenyl); n is an integer of 2 to 5; m is an integer of 1 to 3,



wherein, in the formula (2), R1 represents hydrogen, or C<sub>1</sub>-C<sub>10</sub> straight or branched alkyl or alkenyl.

*Please amend the paragraph at page 7, 6<sup>th</sup> line from bottom, as follows:*

In the formula (1), R2 represents hydrogen, optionally substituted C<sub>1</sub>-C<sub>18</sub> straight or branched alkyl or alkenyl, -(C=O)-R3-R4 (wherein R3 represents C<sub>1</sub>-C<sub>18</sub> straight or branched alkylene or alkenyl, and R4 represents optionally substituted phenyl), -R3-(C=O)R4 (wherein R3 represents C<sub>1</sub>-C<sub>18</sub> straight or branched alkylene or alkenyl, and R4 represents optionally substituted phenyl), optionally substituted amino, optionally substituted phenyl, -O-R5, -S-R5, -S-S-R5, -NH-R5, -SO<sub>2</sub>-R5, -CONH-R5, -NHCO-R5, -COO-R5, -OCO-R5, -OCONH-R5, -NHCOO-R5, -NHCONH-R5, -OCOO-R5, -SO<sub>2</sub>NH-R5, or -NHSO<sub>2</sub>-R5 (wherein R5 represents optionally substituted phenyl); n is an integer of 2 to 5; m is an integer of 1 to 3.